

This listing of claims will replace all prior versions and listings of claims in the application:

(Currently Amended) An information distribution system transmitting information based on a demand from a terminal apparatus from a server apparatus to [[the]] a terminal apparatus based on a request signal from the terminal apparatus, [[said]] the server apparatus comprising:

a first transceiver for transmission to communication with the terminal apparatus and for receiving the request signal from the terminal apparatus requesting information; and

a first controller for scheduling a point of time for distribution time based on a state of over a communication line used for distribution of information in accordance with [[a]] the request signal requesting information from the terminal apparatus received at said transceiver and for controlling the system for the distribution of the information for said request signal to the terminal apparatus through the first transceiver at the scheduled point of distribution time, and

[[said]] the terminal apparatus comprising:

a second transceiver for communication with [[a]] the server apparatus; and

a second controller for generating [[a]] the request signal for requesting the distribution of desired the information, for controlling the system for transmission of the requested information request signal to [[said]] the server apparatus through [[said]]

the second transceiver, and for controlling the system for reception of [[said]] the information distributed by [[said]] the server apparatus in a period of the distribution time determined scheduled by [[said]] the server apparatus with respect to said request signal, wherein

the request signal comprises time limit information indicating a time limit for distribution of the information; and

the first controller schedules the distribution time based on the time limit for distribution and the state of the communication line.

- 2. (Canceled).
- 3. (Currently Amended) [[An]] <u>The</u> information distribution system as set forth in of claim [[2]] 1, wherein the first controller of [[said]] the server apparatus detects a traffic load of [[said]] the communication line and distributes the information at a period of time when the traffic load is small.
- 4. (Currently Amended) [[An]] <u>The</u> information distribution system as set forth in of claim 3, wherein

[[said]] the terminal apparatus further comprises an interface for providing information to a user, [[and]]

the server apparatus schedules the distribution time by estimates estimating a period time [[until]] before the time limit of distribution and a point of time when the traffic load of the communication line is small, controls the system for notification of said-

estimated point of the distribution time to [[said]] the terminal apparatus, and schedules so as to distribute the distribution of the information at the estimated point of distribution time, and

[[said]] the second controller of [[said]] the terminal apparatus controls the system for provision of the point of time of providing the distribution time notified from the server apparatus to the user through the interface.

- 5. (Currently Amended) [[An]] The information distribution system as set forth in of claim [[2]] 1, wherein [[said]] the first controller of [[said]] the server apparatus calculates an amount of charge for the distribution of the information based on a length of the period of time until the time limit of distribution designated by the terminal apparatus and performs processing for charging the terminal apparatus based on the calculated amount of charge.
- 6. (Currently Amended) [[An]] <u>The</u> information distribution system as set forth in of claim [[2]] 1, wherein [[said]] the second transceiver of [[said]] the terminal apparatus communicates with the server <u>apparatus</u> through a wireless transmission base station.
- 7. (Currently Amended) [[An]] <u>The</u> information distribution system <u>as set forth in</u> of claim 6, wherein [[said]] <u>the</u> first controller of [[said]] <u>the</u> server apparatus calculates an amount of charge for <u>the</u> distribution of <u>the</u> information based on an efficiency of use of a communication resource in communication between [[said]] <u>the</u> terminal apparatus

and [[said]] the base station and performs processing for charging the terminal apparatus based on the calculated amount of charge.

8. (Currently Amended) [[An]] <u>The</u> information distribution system as set forth in of claim 1, wherein

[[said]] the first controller of [[said]] the server apparatus calculates cost information indicating communication costs based on [[a]] the state of [[said]] the communication line by region, by time band, or by time band for individual regions and controls the system for distribution of the calculated cost information to the terminal apparatus;

[[said]] the second controller of [[said]] the terminal apparatus generates, as said the request signal[[,]] comprising a signal including distribution information designating a desired region or desired time band or both desired for communication distribution of information; and

[[said]] the server apparatus schedules the system for the distribution of information to the designated region and time band based on the request signal.

9. (Currently Amended) A terminal apparatus receiving distribution of information from a server apparatus, [[said]] the terminal apparatus receiving distribution of information from a server apparatus comprising:

a transceiver for transmission to communication with the server apparatus; and a controller for generating a request signal for requesting the distribution of desired the information, for controlling the system for transmission of the requested-

transceiver, and <u>for</u> controlling the system for reception of [[said]] <u>the</u> information distributed by [[said]] <u>the</u> server apparatus in a <u>period of distribution</u> time <u>determined</u> <u>scheduled</u> by [[said]] <u>the</u> server apparatus with respect to said request signal, wherein

the request signal comprises a signal including time limit information indicating a time limit for distribution of the information.

- 10. (Canceled).
- 11. (Currently Amended) [[An]] <u>The</u> terminal apparatus as set forth in of claim [[10]] <u>9</u>, further comprising an interface for providing information to a user, [[and]] wherein the controller controls the system for provision of the point of time of providing the distribution time notified from the server apparatus to the user through the interface.
- 12. (Currently Amended) [[An]] <u>The</u> terminal apparatus <u>as set forth in of</u> claim [[10]] <u>9</u>, wherein [[said]] <u>the</u> transceiver communicates with the server <u>apparatus</u> through a wireless transmission base station.
- 13. (Currently Amended) [[An]] <u>The</u> terminal apparatus <u>as set forth in of</u> claim 9, wherein [[said]] <u>the</u> controller generates, <u>as said the</u> request signal[[,]] <u>comprising</u> a signal including distribution information designating a desired region or <u>desired</u> time band or both <u>desired</u> for <u>communication</u> <u>distribution</u> of information.

14. (Currently Amended) [[An]] <u>The</u> terminal apparatus as set forth in of claim13, further comprising an interface for providing information to a user, [[and]]

wherein [[said]] the controller controls the system for receiving cost information from the server apparatus and provision providing to the user through the interface [[of]] the cost information based on a state of [[said]] a communication line by region, by time band, or by time band for individual regions as received from the server apparatus.

15. (Currently Amended) [[A]] <u>The</u> terminal apparatus as set forth in of claim [[10]] <u>9</u>, further comprising an interface for providing information to a user, [[and]]

wherein [[said]] the terminal apparatus controls the system for receiving a period of time from the server apparatus and provision providing to the user through the interface [[of a] the period of time [[until]] before a time limit of distribution and time band where the in which a traffic load of [[the]] a communication line is small notified from the server apparatus.

- 16. (Currently Amended) [[A]] <u>The</u> terminal apparatus as set forth in of claim 9, further comprising
 - a counter for counting a period of internally measuring time;
- a power supply for controlling the supply of power to each portion of the terminal apparatus and substantially making each portion valid or invalid; and
 - a storage for storing information, [[and]] wherein

[[said]] the controller receives receiving a scheduled point of the distribution time at which said information is to be distributed as notified by said from the server apparatus, stores said received scheduled period of time of the distribution time in [[said]] the storage, starts the supply of power from [[said]] the power supply and receives information distributed from [[said]] the server apparatus when the parts of the terminal apparatus are invalid in state near the scheduled period of time of distribution time based on the scheduled point of time of distribution time stored in [[said]] the storage and the internally measured period of time.

17. (Currently Amended) [[A]] <u>The</u> terminal apparatus as set forth in of claim 16, wherein [[said]] <u>the</u> controller stops the supply of power from [[said]] <u>the</u> power supply and makes the parts of the terminal apparatus invalid in state when the reception of information distributed from [[said]] <u>the</u> server apparatus ends.

18-24. (Withdrawn).

25. (Currently Amended) An information distribution method for transmitting information based on a demand from a terminal apparatus from a server apparatus to [[the]] a terminal apparatus based on a request signal from the terminal apparatus, said information distribution the method for transmitting information based on a request from a terminal apparatus from a server apparatus to the terminal apparatus, comprising the steps of:

having said generating, in the terminal apparatus, generates a request signal requesting distribution of desired information;

transmitting [[said]] <u>the</u> request signal from [[said]] <u>the</u> terminal apparatus to [[said]] <u>the</u> server <u>apparatus;</u>

having said scheduling, in the server apparatus, schedule a point of time for distribution time for distribution over based on a state of a communication line to be used for the distribution of information in accordance with [[a]] the request signal requesting information from said terminal apparatus;

distributing information for said request signal from [[said]] the server apparatus to [[said]] the terminal apparatus at the scheduled point of distribution time; and

having said receiving, in the terminal apparatus, receive said the information distributed from [[said]] the server apparatus, wherein

the request signal includes time limit information indicating a time limit of distribution of the information; and

the distribution time is scheduled based on the time limit information of the request signal and the state of the communication line.

26. (Canceled).

27. (Currently Amended) [[An]] <u>The</u> information distribution method <u>as set forth</u> in <u>of claim [[26]] 25</u>, wherein [[said]] <u>the</u> server apparatus detects a traffic load of [[said]] <u>the</u> communication line and schedules distribution of [[said]] <u>the</u> information for a period of time where <u>when</u> the traffic load is small.

- 28. (Currently Amended) [[An]] <u>The</u> information distribution method <u>as set forthing of claim</u> [[26]] <u>25</u>, wherein, when receiving [[said]] <u>the</u> request signal, [[said]] <u>the</u> server apparatus <u>schedules the distribution time by estimates estimating</u> a period of time [[until]] <u>before</u> the time limit for distribution <u>and a point of time where when</u> the traffic load <u>of the communication line</u> is small, <u>notifies the estimated point of sends notification of the distribution</u> time to [[said]] <u>the</u> terminal apparatus, and distributes the information at the <u>estimated point of distribution</u> time.
- 29. (Currently Amended) [[An]] <u>The</u> information distribution method <u>as set forthin of claim 27</u>, wherein [[said]] <u>the</u> server apparatus calculates an amount of charge for distribution of information based on a length of the period of time until the time limit of distribution <u>designated by the terminal apparatus</u> and performs processing for charging the terminal apparatus based on the calculated amount of charge.
- 30. (Currently Amended) [[An]] <u>The</u> information distribution method as set forthin of claim [[26]] <u>25</u>, wherein [[said]] <u>the</u> terminal apparatus communicates with the server <u>apparatus</u> through a wireless communication base station.
- 31. (Currently Amended) [[An]] <u>The</u> information distribution method <u>as set forthing of claim</u> 30, wherein [[said]] <u>the</u> server apparatus calculates an amount of charge for <u>the</u> distribution of <u>the</u> information based on an efficiency of use of a communication resource in communication between [[said]] <u>the</u> terminal apparatus and [[said]] <u>the</u> base

station and performs processing for charging the terminal apparatus based on the calculated amount of charge.

32. (Currently Amended) [[An]] <u>The</u> information distribution method as set forth in <u>of</u> claim 25, wherein:

[[said]] the server apparatus calculates cost information indicating communication costs based on [[a]] the state of [[said]] the communication line by region, by time band, or by time band for individual regions and distributes the calculated cost information to the terminal apparatus;

[[said]] the terminal apparatus generates the signal request comprising a signal including distribution information designating a region or time band or both desired for distribution of information; and

[[said]] the server apparatus schedules the distribution of information to the designated region and time band based on the request signal.

33. (Currently Amended) A data reception method for receiving distribution of information from a server apparatus, said data reception the method for receiving distribution of information from a server apparatus, comprising the steps of:

generating a request signal requesting <u>the</u> distribution of <u>desired</u> <u>the</u> information, <u>the request signal comprising time limit information indicating a time limit for distribution of the information;</u>

transmitting said requested information the request signal to [[said]] the server apparatus; and

receiving [[said]] the information distributed by [[said]] the server apparatus in a period of during a distribution time determined by said scheduled by the server apparatus for said request signal.

- 34. (Canceled).
- 35. (Currently Amended) [[A]] The data reception method as set forth in of claim 33, further comprising a step of generating the request signal comprising a signal including distribution information designating a desired region or desired time band or both for distribution of information as said request signal.
- 36. (Currently Amended) [[A]] <u>The</u> data reception method <u>as set forth in of claim</u> 35, further comprising <u>a step of receiving from [[said]] the</u> server apparatus cost information indicating communication costs based on a state of [[said]] <u>a communication</u> line by region or by time band or by time band for individual regions.
- 37. (Currently Amended) [[A]] <u>The</u> data reception method <u>as set forth in of</u> claim [[34]] <u>33</u>, further comprising <u>a step of</u> providing [[the]] <u>a</u> user with a period of time <u>until</u> <u>said before the</u> time limit of distribution <u>and point of time where the when a</u> traffic load of [[the]] a communication line is small <u>as notified from said server apparatus</u>.
- 38. (Currently Amended) [[A]] <u>The</u> data reception method as set forth in of claim 33, further comprising the steps of:

internally measuring time;

receiving a scheduled point of the distribution time for distribution of information from [[said]] the server apparatus; and

controlling a power supply of a receiver to enable reception of information distributed from [[said]] the server apparatus near the scheduled period of distribution time of distribution based on the received scheduled point of time of distribution time and [[an]] the internally measured period of time.

39. (Currently Amended) [[A]] <u>The</u> data reception method <u>as set forth in of</u> claim 38, further comprising <u>a step of</u> controlling the power supply of the receiver to cut the supply of power to at least part of the <u>circuits of the</u> receiver when [[it]] <u>the receiver</u> finishes receiving the information distributed <u>from said</u> by the server apparatus.

40-47. (Withdrawn).